Material Safety Data Sheet

MSDS# J00530630_05272005

Section 1. Chemical Product and Company Identification

Product name JACAAB-ETHOMEEN S/15

Material Uses : Surfactant. In Case of Emergency

Supplier/ JACAAB LLC CHEMTREC: 800-424-9300

Repackager 4155 Manchester Avenue St. Louis, MO 63110 Information: 314-533-4662

Section 2. Composition, Information on Ingredients

 Name
 CAS #
 % by Weight

 Amines, soya alkyl, ethoxylated
 61791-24-0
 98-100

 Poly(oxy-1,2-ethanediyl), a-hydroxy-w-hydroxy-Amines, soya alkyl
 25322-68-3
 0.001-2

 0.001-2
 0.001-2

Section 3. Hazards Identification

Physical StateLiquid.ColorAmber.OdorAmine like.

Emergency Overview DANGER!

CAUSES EYE AND SKIN BURNS. MAY BE HARMFUL IF SWALLOWED.

Do not get in eyes, on skin or on clothing. Do not ingest. Avoid breathing vapor or mist. Keep

container closed. Use only with adequate ventilation. Wash thoroughly after handling.

Possible Carcinogenic

Effects

Amines, soya alkyl, ethoxylated: IARC, NTP, OSHA, ACGIH: Not listed.

Poly(oxy-1,2-ethanediyl), a-hydroxy-w-hydroxy-: IARC, NTP, OSHA, ACGIH: Not listed.

Amines, soya alkyl: IARC, NTP, OSHA, ACGIH: Not listed.

Routes of Entry Absorbed through skin. Eye contact.

See Toxicological Information (section 11)

Section 4. First Aid Measures

Eye Contact Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of

water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

Skin Contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Get medical attention immediately.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

Continued on Next Page

ETHOMEEN SV/15 Page: 2/6

Ingestion Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth

to an unconscious person. If large quantities of this material are swallowed, call a physician

immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Medical Conditions Aggravated by Overexposure Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection.

Section 5. Fire Fighting Measures

Flammability of the

Product

May be combustible at high temperature.

Auto-ignition Temperature

The lowest known value is >150°C (302°F) (Poly(oxy-1,2-ethanediyl), a-hydroxy-w-hydroxy-).

Flash Points Closed cup: >150°C (302°F). (Pensky-Martens.)

Products of Combustion These products are carbon oxides (CO, CO₂), nitrogen oxides (NO, NO₂...).

Fire Fighting Media and Instructions

SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Protective Clothing (Fire) Be sure to use an approved/certified respirator or equivalent.

Section 6. Accidental Release Measures

Small Spill and Leak Absorb with an inert material and put the spilled material in an appropriate waste disposal. If necessary:

Use suitable protective equipment (Section 8).

Large Spill and Leak

Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get

water inside container. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources.

Call for assistance on disposal. Use suitable protective equipment (Section 8).

Section 7. Handling and Storage

Handling Do not ingest. Avoid breathing vapors or spray mists. Keep container closed. Use only with adequate

ventilation. Wash thoroughly after handling.

Storage Keep container tightly closed. Keep container in a cool, well-ventilated area.

Section 8. Exposure Controls, Personal Protection

Engineering Controls Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors

below their respective occupational exposure limits. Ensure that eyewash stations and safety showers

are proximal to the work-station location.

Personal Protection

Respiratory

Eyes Face shield.

Body Full suit.

Wear appropriate respirator when ventilation is inadequate.

Hands Gloves.
Feet Boots.

Protective Clothing (Pictograms)



ETHOMEEN SV/15 Page: 3/6

Personal Protection in Case of a Large Spill Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Ingredient Name Exposure Limits United States

Amines, soya alkyl, ethoxylated Poly(oxy-1,2-ethanediyl), a-hydroxy-w-hydroxy-Amines, soya alkyl Not available. Not available.

Not available.

Section 9. Physical and Chemical Properties

Physical State Liquid.

Color Amber.

Odor Amine like.

Molecular Weight Not applicable.

Molecular Formula Not applicable.

pH Basic.

Boiling/Condensation >300°C (572°F)

Point

Melting/Freezing Point 6°C (42.8°F)

Cloud Point 8°C Pour Point 7°C

Density0.952 g/cm³ (25°C / 77°F)Vapor Pressure<0.1 kPa (<1 mmHg) (at 20°C)</th>SolubilityVery slightly soluble in cold water.

Dispersion Properties

Viscosity = 150 mPas @ 20C. (Poly(oxy-1,2-ethanediyl), a-hydroxy-w-hydroxy-)

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.

Incompatibility with Various Substances

Reactive with oxidizing agents, acids.

Hazardous Will not occur.
Polymerization

Section 11. Toxicological Information

Toxicity to Animals Ingredient Name or Product name	Test	Result	Route	Species
ETHOMEEN® SV/15	LD50	1260 mg/kg	Oral	Rat based on data for: (similar material)
Poly(oxy-1,2-ethanediyl),	LD50	28000 mg/kg	Oral	Rat
a-hydroxy-w-hydroxy-	LD50	31000 mg/kg	Oral	Mouse
	LD50	14000 mg/kg	Oral	Rabbit
	LD50	>20000 mg/kg	Dermal	Rabbit
Amines, soya alkyl	LD50	1950 mg/kg	Oral	Rat based on data for: (similar material)

Special Remarks on Toxicity to Animals Amines, soya alkyl: INHALATION = 0.033 mg/L hour(s) Rat based on data for: (similar material)

Chronic Effects on Humans

MUTAGENIC EFFECTS: Classified None. for human [Amines, soya alkyl]. Non-mutagenic for bacteria and/or yeast. [Amines, soya alkyl].

Continued on Next Page

ETHOMEEN SV/15 Page: 4/6

Special Remarks on Chronic Effects on Humans Amines, soya alkyl: Chromosomal (DNA) abnormalities will not occur in CHO mammalian cell assay, the In Vivo Cytogenetics Assay in mice, the CHO/HGPRT mammalian cell assay and the Mouse Lymphoma Assay; based on data for: (similar material)

Acute Effects Skin Corrosive to the skin. Practically non-toxic in contact with skin.

Acute Effects Eyes Corrosive to the eyes.

Special Remarks on

Other Toxic Effects on

Humans

Skin based on data for: (similar material)

Section 12. Ecological Information

Ecotoxicity

Ingredient Name or Product name Species Period Result Poly(oxy-1,2-ethanediyl), Daphnia (EC50) 48 hours >10000 mg/la-hydroxy-w-hydroxy-Fish (LC50) 24 hours >5000 mg/l Amines, soya alkyl Minnows based on data for: 96 hours 0.11 mg/l (similar material) (LC50) daphnia based on data for: 48 hours 0.011 mg/l

(similar material) (EC50)
Algae. based on data for: 96 hours 0.03 mg/l (similar material) (EC50)

Biodegradability and Ecotoxicity Remarks

Poly(oxy-1,2-ethanediyl), a-hydroxy-w-hydroxy-: 5% @ 5 day(s) CBT 38% @ 10 day(s) CBT 70%

@ 20 day(s) CBT

Amines, soya alkyl: 55% @ 28 day(s) CBT based on data for: (similar material); 72% @ 42 day(s)

CBT based on data for: (similar material)

Products of Degradation

These products are carbon oxides (CO, CO₂) and water, nitrogen oxides (NO, NO_{2...}).

Section 13. Disposal Considerations

Waste Information

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Consult your local or regional authorities.

Section 14. Transport Information

Regulatory Information	UN number	Proper shipping name	Class	Packing Group	Label	Additional information
DOT Classification	UN2735	Amines, liquid, corrosive, n.o.s. (Alkoxylated fatty amines)	8 -	III	CORPORT	-
TDG Classification	UN2735	AMINES, LIQUID, CORROSIVE, N.O.S. (Alkoxylated fatty amines)	8	III		Special Provisions Classified in Accordance with UN Recomendations
IMDG Class	UN2735	AMINES, LIQUID, CORROSIVE, N.O.S. (Alkoxylated fatty amines)	8	III		-

Continued on Next Page

ETHOMEEN SV/15						Page: 5/6	
IATA-DGR Class		Amines, liquid, corrosive, n.o.s. (Alkoxylated fatty amines)	-	III		-	

Section 15. Regulatory Information

HCS Classification Corrosive material

U.S. Federal Regulations TSCA: All intentionally present components are listed on the TSCA inventory.

DSL: All intentionally present components are listed on the DSL. CERCLA: Hazardous substances.: No products were found.

SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: ETHOMEEN® SV/15

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: ETHOMEEN® SV/15:

Immediate (Acute) Health Hazard

SARA 313 Form R Reporting Requirements

No products were found.

SARA 313 Supplier Notification No products were found.

State Regulations No products were found.

California prop. 65: No products were found.

WHMIS (Canada) Class E: Corrosive liquid.

CEPA DSL: Amines, soya alkyl, ethoxylated; Poly(oxy-1,2-ethanediyl), a-hydroxy-w-hydroxy-; Amines,

soya alkyl

Component European UnionComponent

Amines, soya alkyl, ethoxylated

Component

EC Number

Not available.

Not available.

Not available.

Poly(oxy-1,2-ethanediyl), Not available. Not available. Not available. Not available. a-hydroxy-w-hydroxy-

Amines, soya alkyl 263-112-0 Not available. Not available.

Other International Lists Australia (NICNAS): Amines, soya alkyl, ethoxylated; Poly(oxy-1,2-ethanediyl), a-hydroxy-w-hydroxy-;

Amines, soya alkyl

Japan (MITI): Poly(oxy-1,2-ethanediyl), a-hydroxy-w-hydroxy-; Amines, soya alkyl

Korea (TCCL): Amines, soya alkyl, ethoxylated; Poly(oxy-1,2-ethanediyl), a-hydroxy-w-hydroxy-;

Amines, soya alkyl

Philippines (RA6969): Amines, soya alkyl, ethoxylated; Poly(oxy-1,2-ethanediyl), a-hydroxy-w-hydroxy-

Section 16. Other Information

Hazardous Material Information System (U.S.A.)



National Fire Protection Association (U.S.A.)



ETHOMEEN SV/15 Page: 6/6

Valdiation Date Phone Number

5/28/2005. **314-533-4662**

Notice to Reader

The information in the material safety data sheet should be provided to all who will use, handle, store, transport or otherwise be exposed to this product. All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable as of the date of publication. However, no warranty is made as to the accuracy of and/or sufficiency of such information and/or suggestions or as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nothing contained herein shall be construed as granting or extending any license under any patent. Buyer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes, including mixing with other products. The information contained herein supersedes all previously issued bulletins on the subject matter covered. If the date on this document is more than three years old, call to make certain that this sheet is current.